

1743

Johnson & Johnson

Please reply to:
LifeScan, Inc.
1000 GIBRALTAR DRIVE
MILPITAS, CALIFORNIA 95035-6312

FACSIMILE TRANSMISSION**COMPANY CONFIDENTIAL**

This message is intended only for the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of the message is not the intended recipient, or the employee or agent responsible for delivering the message solely to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return this original message to us at the above address via the U.S. Postal Service. Thank you.

DATE:	June 8, 2004
TO:	Examiner Lyle Alexander
COMPANY:	U.S. Patent & Trademark Office
FAX NUMBER:	571 273 1254
TOTAL NO. PAGES:	7
SENDER:	Mayumi Maeda
FAX NUMBER:	408 956 4404
DIRECT DIAL NUMBER:	408 956 4790
EMAIL ADDRESS:	mmaeda1@lfsus.jnj.com

IF YOU DO NOT RECEIVE ALL OF THE PAGES LISTED ABOVE, PLEASE NOTIFY SENDER.

COMMENTS/MESSAGE:

PTO/SB/87 (08-00)
Approved for use through 10/31/2002, OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Certificate of Transmission under 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the
United States Patent and Trademark Office

on June 8, 2004
Date


Signature

Jane Silarajs
Typed or printed name of person signing certificate

Paper(s) submitted:
Response to Notice of Non-Compliant Amendment
Application No. 09/637,504 filed 08/11/2000

Burden Hour Statement: This form is estimated to take 0.03 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Serial No. 09/637,504

DOCKET NO. LFS-102

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Allen House, et al.

Serial No.: 09/637,504

Group Art Unit: 1743

Filed: 08/11/2000

Examiner: Alexander, Lyle

Title: Gimbaled Bladder Actuator for use with Test Strips

I hereby certify that this correspondence or fee is being deposited with the
United States Postal Service as first class mail in an envelope addressed
to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on

6-8-2004

(Date of Deposit)

Jane Silarajs

(Name of applicant, assignee, or Registered Representative)



(Signature)

6-8-2004

(Date of Signature)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

This is in response to the Notice of Non-Compliant Amendment under 37 CFR 1.121. Please accept the following amendment revised to show the proper claim status identifier, previously mailed on April 13, 2004.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 5.